



117 Cook St. • Dayton, Texas 77535 • Telephone • (936) 258-2642 • FAX • (936) 258-2348

BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

The following form must be completed for each assembly tested. A signed and dated original must be submitted to the public water supplier for recordkeeping purposes:

NAME OF PWS: CITY OF DAYTON PWS I.D.#: 1460002
 PROPERTY OWNER: _____
 MAILING ADDRESS: _____
 CONTACT PERSON: _____
 LOCATION OF SERVICE: _____

The backflow prevention assembly detailed below has been tested and maintained as required by commission regulations and is certified to be operating within acceptable parameters.

TYPE OF ASSEMBLY

- Reduced Pressure Principle
- Double Check Valve
- Pressure Vacuum Breaker
- Reduced Pressure Principle-Detector
- Double Check-Detector
- Spill-Resistant Pressure Vacuum Breaker

Manufacturer _____ Located At _____
 Size _____ Serial Number _____
 Model Number _____ Date Installed if known _____

Is assembly installed in accordance with manufacturer recommendations and/or local codes? _____

	Reduced Pressure Principle Assembly			Pressure Vacuum Breaker	
	Double Check Valve Assembly		Relief Valve	Air Inlet	Check Valve
	1st Check	2nd Check			
Initial Test	Held at ___psid Closed Tight <input type="radio"/> Leaked <input type="radio"/>	Held at ___psid Closed Tight <input type="radio"/> Leaked <input type="radio"/>	Opened at ___ psid Did not open <input type="radio"/>	Opened at ___ psid Did not open <input type="radio"/>	Held at ___psid Leaked <input type="radio"/>
Repairs and Materials Used					
Test After Repair	Held at ___psid Closed Tight <input type="radio"/>	Held at ___psid Closed Tight <input type="radio"/>	Opened at ___ psid	Opened at ___ psid	Held at ___psid

Test gauge used: Make/Model _____ SN: _____ Date Tested for Accuracy: _____

Remarks: _____

The above is certified to be true at the time of testing.

Firm Name _____ Certified Tester (print) _____

Firm Address _____ Certified Tester (signature) _____

Firm Phone # _____ Cert. Tester No. _____ Date _____

* TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS
 ** USE ONLY MANUFACTURER'S REPLACEMENT PARTS